Product Information Sheet

and rounded to the second dec-

Height

Width

Depth

imal

ing

Outer dimen-

sions without

separate con-

trol gear, light-

control

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark:					
Supplier's address: LAMBARIO L	.TD, Poljkovnik Dran	igov 2, 2850 Blagoevgrac	l, BG		
Model identifier: LS03-00453					
Type of light source:					
Lighting technology used:	LED	Non-directional or directional:	NDLS		
Light source cap-type	-				
(or other electric interface)					
Mains or non-mains:	NMLS	Connected light source (CLS):	No		
Colour-tuneable light source:	No	Envelope:	-		
High luminance light source:	No				
Anti-glare shield:	No	Dimmable:	No		
	Product para	meters			
Parameter	Value	Parameter	Value		
	General product	parameters:			
Energy consumption in on-	9	Energy efficiency	G		
mode (kWh/1000 h), rounded		class			
up to the nearest integer					
Useful luminous flux (фuse), in-	700 in	Correlated colour	4 000		
dicating if it refers to the flux in	Sphere (360°)	temperature,			
a sphere (360°), in a wide cone		rounded to the near-			
(120º) or in a narrow cone (90º)		est 100 K, or the			
		range of correlat- ed colour temper-			
		atures, rounded to			
		the nearest 100 K,			
		that can be set			
On-mode power (P _{on}), ex-	8,5	Standby power (P _{sb}),	0,00		
pressed in W		expressed in W and			
		rounded to the sec-			
		ond decimal			
Networked standby power	-	Colour rendering in-	80		
(P_{net}) for CLS, expressed in W		dex, rounded to the			
and an indication the second 1.1	1	manuach !mbana:: -::	1		

2

8

1 000

nearest integer, or

the range of CRI-values that can be set

Spectral power dis-

range 250 nm to 800

nm, at full-load

in

the

tribution

See image

in last page

parts and non- lighting con- trol parts, if any (millime- tre)				
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-	
		Chromaticity coordi-	0,382	
		nates (x and y)	0,386	
Parameters for LED and OLED light sources:				
R9 colour rendering index value	1	Survival factor	0,90	
the lumen maintenance factor	0,96			

(a)'-': not applicable; (b)'-': not applicable;