## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: LAMBARIO
Supplier's address: LAMBARIO LTD, Poljkovnik Drangov 2, 2850 Blagoevgrad, BG

_	•			
Tyna	At.	liaht	source	٥.
IVDC	OI.	IIGIIL	Souic	឴

Product parameters			
Anti-glare shield:	No	Dimmable:	No
High luminance light source:	Yes		
Colour-tuneable light source:	No	Envelope:	-
Mains or non-mains:	NMLS	Connected light source (CLS):	No
(or other electric interface)			
Light source cap-type	-		
<i>σ σ</i> ,		directional:	
Lighting technology used:	LED	Non-directional or	NDLS

## **Product parameters**

Parameter		Value	Parameter	Value
General product parameters:				
٠,	nption in on- 00 h), rounded st integer	10	Energy efficiency class	F
dicating if it refe a sphere (360°)	s flux (фuse), in- ers to the flux in , in a wide cone arrow cone (90º)	941 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000
On-mode pow pressed in W	ver (P <sub>on</sub> ), ex-	9,5	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,00
(P <sub>net</sub> ) for CLS, 6	andby power expressed in W the second dec-	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80
Outer dimensions without separate control gear, lighting control	Height Width	300 22	Spectral power distribution in the	See image in last page
	Depth	25	range 250 nm to 800 nm, at full-load	

parts and non- lighting con- trol parts, if any (millime- tre)				
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-	
		Chromaticity coordi-	0,420	
		nates (x and y)	0,394	
Parameters for LED and OLED light sources:				
R9 colour rendering index value	59	Survival factor	0,90	
the lumen maintenance factor	0,96			

(a)'-': not applicable; (b)'-': not applicable;